

United States Department of the Interior

BUREAU OF INDIAN AFFAIRS Great Plains Regional Office 115 Fourth Avenue S.E. Suite 400 Aberdeen, South Dakota 57401

OCT 2 6 2012

Jim Jaffinte

IN REPLY REFER TO:
DESCRM
MC-208

MEMORANDUM

TO:

Superintendent, Fort Berthold Agency

FROM:

Actin Regional Director, Great Plains Region

SUBJECT:

Supplemental to Environmental Assessment

A Categorical Exclusion has been completed in compliance with the regulations of the National Environmental Policy Act (NEPA) of 1969, as amended. The proposed Supplemental Categorical Exclusion is for information tiering off of an existing Environmental Assessment for Arrow Pipeline to install pipelines within previously approved right of way on trust lands on the Fort Berthold Indian Reservation.

All the necessary requirements of the National Environmental Policy Act have been completed. Attached for your files is a copy of the Categorical Exclusion.

If you have any questions, please call Marilyn Bercier, Regional Environmental Scientist, Division of Environment, Safety and Cultural Resources Management, at (605) 226-7656.

Attachment

cc: Tex Hall, Three Affiliated Tribes (with attachment)
Elgin Crows Breast, THPO (with attachment)
BLM, Dickinson, ND (with attachment)
Jason Bivons, SWCA (with attachment)
Carson Hood/Fred Fox, MHA Nation (with attachment)
Jeffrey Hunt, Fort Berthold Agency (e-mail)



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS Great Plains Regional Office 115 Fourth Avenue S.E. Aberdeen, South Dakota 57401

IN REPLY REFER TO: DESCRM MC-208

EXCEPTION CHECKLIST FOR BIA CATEGORICAL EXCLUSIONS

Pro	ject: Arrow Phase 2 Loop Pipeline System		Date <u>:</u> _	10/24/2012
(Ar The trus	ture of Proposed Action: A signed categorical exclusion checklis row) to construct and install three individual pipelines which would proposed pipeline would be constructed entirely within the previous tlands within the Fort Berthold Indian Reservation. Approximately ment would be constructed within the approved ROW on trust lands.	l transfer oil, na usly approved A A 27,740 feet (5	itural gas, and AMHP 100-fo	produced water. ot-wide ROW on
Ex	clusion category and number: 516 DM 10.5 F(1) Rights	-of-Way		
Eva	aluation of Exceptions to use of Categorical Exclusion:			
1.	This action would have significant adverse effects on public health or safety.	No <u>X</u>	Yes	
2.	This action would have an adverse effect on unique geographical features, such as wetlands, wild or scenic rivers, refuges, floodplains, rivers placed on nationwide river inventory, or prime or unique farmlands.	No <u>X</u>	Yes	
3.	The action will have highly controversial environmental effects.	No <u>X</u>	Yes	
4.	The action will have highly uncertain environmental effects or involve unique or unknown environmental risks.	No <u>X</u>	Yes	
5.	This action will establish a precedent for future actions.	No <u>X</u>	Yes	
6.	This action is related to other actions with individually insignificant, but cumulatively significant environmental effects.	No X	Yes	
7.	This action will affect properties listed or eligible for listing in the National Register of Historic Places.	No X	Yes	

8.	This action will affect a species listed, or proposed to be listed as endangered or threatened.	No <u>X</u> Yes
9.	This action threatens to violate federal, state, local or tribal law or requirements imposed for protection of the environment.	No <u>X</u> Yes
10.	This action will have a disproportionately high and adverse effect on low income or minority populations.	No <u>X</u> Yes
11.	This action will limit access to, and ceremonial use of Indian sacred sites on federal lands by Indian religious practitioners, or significantly adversely affect the physical integrity of such sacred sites.	No <u>X</u> Yes
12.	This action will contribute to the introduction, continued existence, or spread of noxious weeds or non-native invasive species known to occur in the area, or may promote the introduction, growth, or expansion of the range of such species.	No X Yes
Α'	'yes" to any of the above exceptions will require that an	EA be prepared.
NE	SPA Action CE X EA	
Pre	eparer's Name and Title:Jeffrey Davis, Environmenta	al Protection Specialist
	ncur:	Date: 10-74-2012
	ncur: Monte Color Regional Director/Superintendent	Date: 10-26-2012

Categorical Exclusion with Pertinent Analysis Documentation

United States Bureau of Indian Affairs

Great Plains Regional Office Aberdeen, South Dakota



Arrow Pipeline, LLC

Categorical Exclusion 516 DM 10.5 F (1) to Authorize Land Use for the Arrow Phase 2 Loop Pipeline System

Fort Berthold Indian Reservation

October 2012

For information contact:
Bureau of Indian Affairs, Great Plains Regional Office
Division of Environment, Safety and Cultural Resources Management
115 4th Avenue SE, Aberdeen, South Dakota 57401

(605) 226-7656

TABLE OF CONTENTS

		Page
1.	Purpose and Need for the Proposed Action	1
2.	Authorities	1
3.	Legal Land Description for Proposed Action	1
4.	Scope of Work for Proposed Action	3
5.	Materials Information and Corrosion Rates	
6.	Spill Response Plan	3
7.	Pipeline Marking Procedures	
8.	Quality Control/Quality Assurance Measures	
9.	Valve Locations	
10.	Reclamation	4
11.	Surveys	5
12.	Applicable NEPA Document(s)	6
13.	NEPA Adequacy Criteria	6
Figu		<u>Page</u>
1	Map of the proposed Phase 2 Loop Pipeline. Note: Inset map shows relationship of proposed pipeline centerline to overall approved AMHP ROW.	2

Appendix

A Plats, Drawings, and Diagrams for the Proposed Phase 2 Loop Pipeline System

1. Purpose and Need for the Proposed Action

The purpose of the proposed action is to authorize the land use by Arrow Pipeline, LLC (Arrow) for the construction and installation of the Phase 2 Loop Pipeline System (pipeline). The proposed pipeline would be located entirely within the previously approved 100-footwide construction right-of-way (ROW) of the Arrow Midstream Holdings Pipeline (AMHP) and would transport oil, natural gas, and produced water from producing wells to markets.

With the AMHP approaching capacity, the proposed action would enable Arrow to increase crude oil transport capacity from 35,000 barrels per day to 60,000 barrels per day, as well as increase natural gas transport capacity from 28,000 million cubic feet per day (MCFD) to 48,000 MCFD. Produced water transport capacity would also be increased. Depending on production rates (peak vs. average), the proposed pipeline would have the ability to handle an additional 33-125 wells with the capacity increase. The addition of this pipeline would reduce the amount of truck transport and also provide backup capabilities if one line is taken out of service, eliminating the need to shut wells in. Proposed construction would begin around June of 2013.

Developments have been proposed on land held in trust by the United States in McKenzie County, North Dakota. The Bureau of Indian Affairs (BIA) is the surface management agency for potentially affected tribal lands and individual allotments. The economic development of available resources and associated BIA actions are consistent with the BIA's general mission. Leasing and development of mineral resources offers substantial economic benefits to the Three Affiliated Tribes of the Mandan, Hidatsa, and Arikara Nations and to individual tribal members.

2. Authorities

Oil and gas exploration and development activities are conducted under authority of the Indian Mineral Leasing Act of 1938 (25 United States Code [USC] 396a, et seq.), the Indian Mineral Development Act of 1982 (25 USC 2101, et seq.), and the Energy Policy Act of 2005 (42 USC 15801, et seq.).

3. Legal Land Description for Proposed Action

The pipeline would be located on trust lands originating from the approved Arrow Station #3 Phase 1B South Compressor and Pump Station (CPS), in the NE¼ NW¼ of Section 16, Township (T) 149 North (N), Range (R) 93 West (W), 5th Prime Meridian (P.M.), McKenzie County, North Dakota, and terminate at the approved Arrow Station #2 Phase 1B Highway 22 South CPS (tie-in) in the NW¼, SE¼ of Section 15, T149N, R94W, 5th P.M., McKenzie County, North Dakota, approximately 0.9 mile southwest of Mandaree, North Dakota (Figure 1). The proposed pipeline would traverse trust lands in Sections 16, 17, and 18, T149N, R93W, and through Sections 13, 14, and 15, T149N, R94W, until terminating at the tie-in.

1




Figure 1. Map of the proposed Phase 2 Loop Pipeline. Note: Inset map shows relationship of proposed pipeline centerline to overall approved AMHP ROW.

7

SWCA

4. Scope of Work for Proposed Action

The natural gas pipeline would be constructed approximately 15 feet away from the AMHP pipeline. Oil and produced water pipelines would be constructed 5 feet apart and 10 feet from the existing AMHP pipeline. Oil and natural gas pipelines would be no greater than 18 inches in diameter and constructed of new steel. The produced water pipeline would also be no greater than 18 inches in diameter and constructed of Fiberspar® or similar corrosion-resistant material. All of the construction disturbances would occur within the previously approved 100-foot-wide AMHP ROW.

Approximately 55,466 feet (10.5 miles) of new steel pipe, and 27,733 feet (5.25 miles) of Fiberspar or similar pipe, would be needed to transport oil, natural gas, and produced water from the approved Station #3 Phase 1B South CPS to the Station #2 Phase 1B Highway 22 South CPS (Appendix A). All construction (temporary) and permanent surface disturbance would occur entirely within the previously approved 100-foot-wide ROW of the AMHP.

5. Materials Information and Corrosion Rates

Steel Pipe

Arrow proposes to construct the oil and natural gas pipelines using new steel pipe rated by the American Petroleum Institute (API) as 5L X52. Arrow would ensure that each steel pipe segment is coated with approximately 14 to 16 millimeters of fusion bonded epoxy coating. Further, Arrow would deploy an active cathodic protection system for all steel pipe, which further reduces the likelihood of external corrosion. Arrow would ensure that each steel pipe segment is allotted a 1/16-inch corrosion allowance; however, because of the non-corrosive nature of Bakken crude and the low concentrations of hydrogen sulfide, Arrow does not anticipate any external or internal corrosion during the operating lifetime of the pipe, which, at a minimum, is estimated to be 50 years.

Fiberspar or Similar Pipe

Arrow proposes to construct the produced water pipeline using a material known as Fiberspar or one with the same corrosion-resistant characteristics as Fiberspar. This type of material is not subject to internal or external corrosion.

6. Spill Response Plan

Arrow has developed a Spill Response Plan (Plan) (Middick 2011¹) for the Phase 3 Southwest pipeline. The spill preventative measures and monitoring protocols, notification procedures, spill detection and on-scene spill mitigation procedures, response activities, contacts, training and drill procedures, and response plan review and update procedures, as referenced in the Plan, apply to the proposed pipelines. A copy of the Plan has been filed with the BIA and Arrow has legally committed to adhering to the procedures and requirements as defined by federal law (Title 49 Code of Federal Regulations [CFR] 194). Arrow has committed to

¹ Middick, A. 2011. *Operations Monitoring and Spill Response Plan*. Blackshare Environmental Solutions. Oklahoma City, Oklahoma.

submitting a spill response plan, specific to this proposed project, to the BIA prior to the commencement of construction activities.

7. Pipeline Marking Procedures

Arrow adheres to the requirements of 49 CFR Part 192.707 with regard to the marking of buried pipelines. Specifically, Arrow would place pipeline markers within 1,000 feet of one another at all public road crossings, railroad crossings, creek crossings, and fence crossings, and at all points of major direction change.

8. Quality Control/Quality Assurance Measures

Arrow purchases steel pipe that is rated as API 5L X52 and inspects all pipe while at the mill to ensure quality. Arrow is also present to ensure that external epoxy coating is applied to a minimum thickness of 14 millimeters. During construction, all welds are visually inspected for quality and completeness by qualified professionals. Once welds have passed visual inspection, they are subjected to 100 percent non-destructive testing. After passing these tests, the weld areas are covered for corrosion protection. After the weld areas have been covered, the external coating of the pipe is inspected using a jeepmeter to detect holes and cracks. The pipe is lowered into the trench and buried. Prior to being put into service, the steel pipe is hydrotested to approximately 1.5 times the minimum design pressure of 1,180 pounds per square inch gauge.

9. Valve Locations

Two valves would be installed at each end of the proposed pipeline. One valve would be installed at the well location and the second valve would be installed at the proposed tie-in. The installation of two valves for each line would allow Arrow to isolate the proposed pipeline, if required.

10. Reclamation

Interim Reclamation

Reclamation would continue to occur over the life of the pipeline. Interim reclamation would be required after initial construction and then following any maintenance work or additions of infrastructure. Reclamation would be required before final abandonment of the decommissioned pipeline. Successful reclamation would at all times be the responsibility of the system's operator.

Trenches would be backfilled immediately after the pipe is installed and testing is complete, assuming frozen or saturated soils are not present. Backfill piles would be stored opposite of the topsoil piles during construction. If construction occurs during winter, Arrow would partially fill the trench with useable, non-frozen, backfill soil to the extent possible and cover the entire ROW including the trench with straw. The trench would be backfilled and topsoil distributed as soon as practicable after the soil has defrosted. Topsoil piles would be covered

4

SWCA

to eliminate the potential for rill erosion and subsequent loss of soil during spring snow melt and precipitation events.

Applicable short- and long-term best management practices would be used to minimize and control erosion in disturbed areas. To reduce compaction, the ROW would be plowed before the stockpiled topsoil is distributed.

The disturbed areas would be reclaimed and contoured as soon as possible after construction is complete (fall/spring). The ROW would be covered with stockpiled topsoil and seeded with a seed mixture determined by the BIA. Arrow would control noxious weeds within the ROW and other applicable facilities by approved chemical or mechanical methods. If seeding of the ROW does not occur due to growing season constraints, Arrow would deploy approved weed-free hay across the entire ROW. The presence of hay across the ROW would reduce the potential for excessive erosion as a result of spring snow melt and precipitation.

The entire ROW would be monitored for erosion, subsidence, and noxious weeds. In areas where problems are found to occur, reclamation efforts would continue until the BIA feels the ROW is successfully reclaimed. Reclamation is considered successful when:

- seeded areas are established;
- adjacent vegetative communities spread back into the disturbed areas; and
- noxious weeds are under control.

If after two growing seasons the new seeding is not successful, the BIA may require additional efforts to establish vegetation. For noxious weeds, a survey was conducted on the ROW prior to the construction commencing. The BIA has developed a weed management plan to treat known or likely to occur noxious weed species.

Final Reclamation

Final reclamation would occur when the pipeline is decommissioned. All disturbed areas would be reclaimed, reflecting the BIA's view of oil and gas exploration and production as temporary intrusions on the landscape. All facilities would be removed. It is economically and environmentally unfeasible to excavate and remove the decommissioned pipelines. Instead, the pipelines would be purged with water of any natural gas remaining in the lines and abandoned in place.

11. Surveys

The AMHP ROW has been surveyed for impacts to natural and cultural resources with no significant findings. SWCA identified three wetlands within the approved AMHP ROW. In order to be consistent with the conditions of the approval provided in the applicable National Environmental Policy Act (NEPA) document (see Section 12), Arrow would be required to directionally drill underneath Wetland 3 for 415 feet. Wetland 3 is located in the NW¼ SW¼ Section 14, T149N, R94W. Construction would temporarily disturb vegetation in Wetlands 1 and 2 but no long-term or permanent impacts are expected.

In total, approximately 63.67 acres of the previously approved AMHP ROW would be disturbed as a result of activities associated with the construction of the proposed pipeline. Pipeline plats are provided in Appendix A.

The cultural resource inventory of the AMHP ROW was conducted by SWCA Environmental Consultants, using an intensive pedestrian methodology. Approximately 331 acres were inventoried during field surveys in 2008 (Markman et al. 2009²). A representative of the Three Affiliated Tribes Tribal Historic Preservation Office (THPO) identified five areas of cultural consideration within the survey corridor. Avoidance of these five locations was recommended during the field inventory, and a new route was inventoried that successfully avoids these resources. One archaeological site was revisited that may retain the quality of integrity and meet at least one of the criteria (36 CFR 60.6) for inclusion in the National Register of Historic Places. On the basis of the information provided, the BIA reached a determination of no historic properties affected for this undertaking, as the archaeological site will be avoided. This determination was communicated to the THPO on February 13, 2009, and the THPO concurred on February 18, 2009.

12. Applicable NEPA Document(s)

Environmental Assessment and Finding of No Significant Impact: Arrow Midstream Holdings, LLC Oil and Gas Gathering System (March 2009).

13. NEPA Adequacy Criteria

This document has identified the above-mentioned previously prepared NEPA document, which adequately describes the environmental consequences of the newly proposed action described herein and meets the following NEPA Adequacy Criteria.

- 1. The proposed action is substantially the same action and at the site specifically analyzed in the existing NEPA document.
- 2. The range of alternatives is reasonable with respect to the current proposed action in the existing NEPA document, which appropriately considers and analyzes current environmental concerns, interests, and resource values.
- 3. The existing analysis and conclusions are adequate in the existing NEPA document. The analysis is still valid in light of new studies or resource assessment information.
- 4. The methodology and analytical approach used in the existing NEPA document continues to be appropriate for the proposed action.
- 5. The direct and indirect impacts of the proposed action are unchanged from those identified in the existing NEPA document.

6

SWCA

² Markman, J.M., K.M. Ferris, E. Salisbury, and S. Slessman. 2009. A Class I and Class III Cultural Resource Inventory of the Proposed Arrow Pipeline and Compressor Station, Fort Berthold Indian Reservation, McKenzie and Dunn County, North Dakota. Prepared by SWCA Environmental Consultants for Arrow Midstream Holdings LLC, Tulsa, OK.

- 6. The cumulative impacts that would result from implementation of the proposed action are unchanged from those analyzed in the existing NEPA document.
- 7. A 30-day comment period involving public input and interagency review was used in the development of the existing NEPA document.

SWCA

7

APPENDIX A

Plats, Drawings, and Diagrams for the Arrow Phase 2 Loop Pipeline System

PIPELINE RIGHT-OF-WAY DESCRIPTION

A 20' WIDE RIGHT-OF-WAY 20' ON SOUTH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE.

TIG.29 FROM THE WEST 1/4 CORNER OF SAID SECTION 15, THENCE SB378 43" B. 5716.29 FROM THE WEST 1/4 CORNER OF SAID SECTION 16, THENCE SB378 43" B. 5716.29 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 16 WHICH BEASS NO0047.26" SAS5.75 FROM THE SW1 1/4 W 1/4 OF SAID SECTION 16 WHICH BEASS NO0047.26" SAS5.75 FROM THE SW1 1/4 W 1/4 OF SAID SECTION 17, THENCE SB67207W SAS5.75 FROM THE SW1 1/4 W 1/4 OF SAID SECTION 17, THENCE SB67207W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 17, THENCE SB67207W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 17, THENCE SB67207W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 17, THENCE SB67207W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 17, THENCE SB67207W SAS5.75 FROM SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 17, THENCE SB67207W SAS5.75 FROM SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 18, THENCE SB67207W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 18, THENCE SB67207W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 18, THENCE SB67207W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 18, THENCE SB67257W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 407.86; THENCE SB67257W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 407.86; THENCE SB67257W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST LINE OF THE SW 1/4 W 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION 13, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION 14 WHICH BEARS NO00537 FROM THE WEST 1/4 OF SAID SECTION 15, THENCE SB67257W SAS5.75 FROM THE WEST 1/4 OF SAID SECTION

RIGHT-OF-WAY LENGTHS PROPERTY OWNER FEET ACRES 690A-A 130.22 0.060 1890A-B 2128.85 0.977 690A-B 681.23 0.304 689A 2652.43 1.218 744A 2652.45 1.218 3068 3051.58 1.539 7687 2587 1.218	FET 150.22 120.85 661.23 2652.43 2553.43 2568.87	ACRES 0.080 0.977 0.304 1.217 1.218 1.539	RODS 7.89 128.90 40.07 160.69 160.75 203.13
7444	2652.45	1.218	203.13
T897A	2685.87	1.233	162.78
752A	2659.36	1.221	161.17
754A	2859.36	1.313	173.29
697A	2254.51	1.035	136.64
T695A	3366.42	1.546	204.03
861A-B	1181.68	0.543	71.62
862A-A	365.84	0.168	22.17

	861A-B 1181.68 0.	T695A 3366.42 1.	697A 2254.51 1.	754A 2859.36 1.	752A 2559.36 1	T897A 2685.87 1.	3068 3351.58 1.	744A 2652.45 1.	688A 2651.43 1.	690A-D 661.23 0.	T690A-B 2126.85 0.	690A-A 130.22 0.	PROPERTY OWNER FEET AC	RIGHT-OF-WAY LENGTHS
	0.543	1.546	1.035	1.313	1.221	1.233	1.539	1.218	1.217	0.304	0.977	0.060	ACRES	VCTHS
200	71.82	204.03	136.64	173.29	161.17	162.78	203.13	160.75	160.69	40.07	128.90	7.89	RODS	

ARROW PIPELINE, Ę

PIPELINE RIGHT-OF-WAY ON

For PHASE #2 LOOP) TRIBAL LANDS

LOCATED IN
SECTIONS 16, 17, & 18
TI49N, R93W, 5th P.M., &
SECTIONS 13, 14, & 15
TI49N, R94W, 5th P.M.,
ENZIE COUNTY, NORTH DAKOTA

REBY CERTIFY THAT THIS PLAT CORRECTLY REPRESENTS WORK ORNED BY ME OR UNDER MY DIRECT SUPERVISION AND IS AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

BASIS OF BEARINGS

Untah Engineering & Land Surveying 85 South - 200 EAST • (435) 789-1017 N.S. UTAH - 84078 07-27-12 REFERENCES G.L.O. PLAT 52507-

